



**GERM
SAFE**

DESIGNED FOR HYGIENE
DESIGNED FOR EVERYDAY LIVING



DIRANCANG UNTUK HIGIENITAS

Perlindungan modern untuk ruang sehari - hari.

Teknologi **Ag⁺** terintegrasi pada permukaan untuk membantu menjaga kebersihan tanpa mengorbankan estetika ruang modern.

Infiniti **GERM SAFE*** menghadirkan perlindungan antibakteri dengan tampilan elegan dan perawatan yang mudah untuk kebutuhan hunian maupun komersial.

*) Berdasarkan hasil uji laboratorium terhadap bakteri Escherichia Coli & Staphylococcus aureus dalam kondisi tertentu.



AG⁺ SURFACE PROTECTION

Membantu menghambat
pertumbuhan bakteri hingga

99.9%



Anti Bacterial

Membantu menghambat
pertumbuhan bakteri
hingga **99.9%**



Simple Care

Mudah dibersihkan & dirawat.



Advanced Technology

Perlindungan antibakteri yang
terintegrasi ke dalam material.



Versatile Application

Cocok untuk hunian maupun
komersial.



Aplikasi serbaguna menjadi pilihan ideal untuk berbagai lingkungan di mana kebersihan dan performa sama pentingnya. Baik digunakan di area komersial fasilitas kesehatan, pendidikan, maupun hunian, teknologi **GERM SAFE** mendukung keamanan dan kesehatan untuk penggunaan sehari-hari.



Sekolah, Taman Kanak-kanak, Area Bermain



Hotel, Pusat Konferensi, Restoran & Kantin



Perkantoran Publik & Swasta



Laboratorium & Fasilitas Medis



Kamar Mandi Umum



Pusat Kebugaran, Gym, Kolam Renang, Pusat Rekreasi



Hunian / Rumah Tinggal




FLOOR : GAVIEL GREY



GAVIEL GREY
60X60 | GLOSSY
Random Faces : 4



MODERATE
VARIATION



GENNARO WHITE
60X60 | GLOSSY
Random Faces : 1



UNIFORM
APPEARANCE




GIORGIO GREY
60X60 | GLOSSY
Random Faces : 5



SLIGHT
VARIATION



FLOOR : GAVIA WHITE



GAVIA WHITE (R10)
60X60 | MATT
Random Faces : 4



GALEA WHITE (R10)
60X60 | MATT
Random Faces : 3



GALEA GREY (R10)
60X60 | MATT
Random Faces : 3



TECHNICAL CHARACTERISTIC

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	INFINITI GRANITE
Length & Width	ISO 10545-2	± 0.3% (± 1 mm)	± 0.25%
Side Straightness	ISO 10545-2	± 0.3% (± 0.8 mm)	± 0.25%
Rectangularity	ISO 10545-2	± 0.3% (± 1.5 mm)	± 0.25%
Centre & Edge Curvature	ISO 10545-2	± 0.4% (± 1.8 mm)	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.4% (± 1.8 mm)	± 0.25%
Thickness	ISO 10545-2	± 5% (± 0.5 mm)	± 5%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	Group B1a ≤ 0.5%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. ≥ 35 N/mm2	≥ 35 N/mm2
Crazing Resistance	ISO 10545-11	Required	Resistant
Frost Resistance	ISO 10545-12	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class III
Abrasion Resistance	ISO 10545-7	Report abrasion class & cycle passed	Group III to V

- Color and other aesthetic features shown in this catalogue as close as the limitation of the printing process will allow.
- Some variations in color shade, finish and tolerance in bookmatched / endmatched design are inherent in granite products.
- Always view several samples before making final selection.
- Different may occur between samples and final product.

SHOWROOM

SURABAYA SHOWROOM

Jl. Panglima Sudirman 23-25
Surabaya 60271
(+62) 811 3165 032

JAKARTA SHOWROOM

Komp. Ruko Agung Sedayu
Jl. Mangga Dua Raya Blok E no 4-5
Jakarta Pusat 10730
(+62) 811 3085 014

TANGERANG SHOWROOM

Foresta Business Loft 7 No. 1
BSD City, Tangerang 15331

SEMARANG SHOWROOM

Jl. Mayjend Sutoyo 33, Semarang 50134
(+62) 811 3010 4086

Komp. Pertokoan &
Perkantoran Jurnatan, Stand D 22-23
Jl. Suari, Semarang 50121
(+62) 811 3165 021

BANDUNG SHOWROOM

Jl. Soekarno Hatta 718
Bandung 40295
(+62) 811 3165 035

Ruko IBCC (Istana Building
Commodities Center)
Stand 01, 02, 03, 12, 12a, 12b
Jl. Ahmad Yani 296
Bandung 40271
(+62) 811 3200 9170

DENPASAR SHOWROOM

Jl. Gatot Subroto Timur 486 Ruko 4-6
Denpasar 80239
(+62) 811 3165 017

MEDAN SHOWROOM

Jl. H.M. Yamin 74b
Medan 20111
(+62) 811 3165 022

PLANT

PT SURYA MULTI CEMERLANG

Jl. RAYA WONOAYU
DESA SEMAMBUNG, RT 01 RW 01
KEC. WONOAYU

Tel. (+62) 31 6005 9800

Jl. Raya Rengas Bandung
KM 61, RT 01 RW 05, Desa Karangsambung
Kec. Kedungwaringin, Kab. Bekasi 17540
Indonesia

Tel. (+62) 21 8914 3552
Fax. (+62) 21 8914 3234

V1

UNIFORM APPEARANCE

Minimal differences range of color & motif among tiles.

V2

SLIGHT VARIATION

Slight differences in texture and/or pattern within similar color.

V3

MODERATE VARIATION

Clearly distinguishable differences in texture or pattern or colors from tile to tile

V4

SUBSTANTIAL VARIATION

Random color and/or pattern differences from tile to tile. Unique final installation looks.



PT SURYA MULTI CEMERLANG

Jl. Panglima Sudirman 23-25, Surabaya 60271
(+62) 811 3165 032

Email : marketing@titaniumlamina.com

 Infiniti Granite Tile

 @infinitigranite

 Titanium Lamina

WWW.INFINITIGRANITE.COM

